



2024 RENTAL CATALOG

UPDATED OCTOBER 2024

MOVING LIGHTS

BRAND	FIXTURE	QTY	CASES OF	LIGHT SOURCE / NOTES
Elation	Artiste Picasso	26	2	620w Cool White LED
Elation	DARTZ 360	61	4 or 6	50w RGB LED
Acme	Tornado (5 head mover) ☁	36	2	(5) 50w RGB+Lime LED, (120) 0.5W RGB LEDs (rings)
Acme	Geist Beam	36	2	500W Cool White LED
GLP	X4 Bar 20	20	2 or 4	(20) 15w RGBW LEDs
Chauvet	Maverick Storm 4 Profile ☁	26	4	1200w Cool White LED
Chauvet	Maverick Storm 2 BeamWash ☁	26	2	(19) 50w RGBW LEDs (w/ Pixel Control) & 144 (12 zone) RGB LED outer ring
Chauvet	Maverick Storm 1 Hybrid ☁	30	2	Osram Sirius HRI 420 W lamp, 7700 K
Chauvet	Maverick Force S Spot	50	2 or 4	350w Cool White LED
Chauvet	Colorado PXL Bar 16 ☁	36	3 or 6	(16) 45w RGBW LEDs
Chauvet	Color Strike M ☁	38	4 or 5	896 (14 zone) RGB LEDs & 432 (28 zone) CW LEDs
Chauvet	Rogue R3X Wash	38	2	(37) 25w RGBW LEDs
Chauvet	Rogue R1 BeamWash	70	4 or 6	(7) 40w RGBW LED
Chauvet	Rogue R1 FX-B (5 individual tilts)	24	4	(5) 15w RGBW LED
Chauvet	Rogue R1X Spot	20	2	170w Cool White LED
Mega Lite	M-SPHERE Moving Half Mirror Ball & Mirror	12	2	Thin ring of pixel LEDs on flat mirror side

STATIC & PIXEL FIXTURES

BRAND	FIXTURE	QTY	CASES OF	LIGHT SOURCE / NOTES
Astera	Titan Tube ☁	32	8	(16) pixels of RGB+Mint+Amber, 72 W Total LED Power
ADJ	Encore LB15IP Lime Bar (15 cell control) ☁	32	8	(15) 20w RGB+Lime LEDs, optional 25" and 100" frost filters and glare shield
ADJ	Encore Z7LP RGB+Lime Zoom PAR	36	6	(7) 20w RGBL LEDs, 5-50" motorized zoom
ADJ	32 Hex Panel IP (wash/pixel FX/strobe/blind) ☁	48	4 or 6	(32) 12w RGBAW+UV LEDs in (8) pixels of (4) LEDs each
Elation	Sixbar 1000 (12 cell control)	37	6	(12) 12w RGBAW+UV LEDs, optional frost filter and glare shield
Elation	Cuepix 16IP ☁	36	6	(16) 30w RGBA COB LEDs, can be locked together to make columns or a grid
Mega Lite	Circa Scoop XL LED	8	2	(16) sections RGB (8 ring/8 dish) + WW/Amber Center
Mega Lite	Circa Scoop LED	28	2 or 3	(16) sections RGB (8 ring/8 dish) + WW/Amber Center
Mega Lite	Circa Scoop XS LED	17	4	84 RGB, 12 Warm White, 45 Warm White + Amber (no pixel control)
Mega Lite	Baby Color H84	12		(7) 12w RGBAW+UV LEDs
Chauvet	Ovation Reve E-3 IP LED Leko ☁	24		(91) LEDs (12 red, 19 green, 3 blue, 9 royal blue, 24 amber, 24 mint)
	Ovation HD Lenses available: 14°, 19°, 26°, 36°, 50°, 25°-50° zoom			
Chauvet	Colorado 1 Solo ☁	24	6	60w RGBW LED, 4-55" motorized zoom
Chauvet	Freedom H1 - battery powered, D-FI DMX	20	4	10w RGBAW+UV LED
Chauvet	Nexus 4x1 (4 cell control)	12	6	(4) 30w RGB COB LEDs
Chauvet	EZ Pin Zoom (battery zoom pinspot)	24	4	5w 4000K LED
CANTO	ASTRO 600 Followspot (daylight white)	4	1	6000K Cool White LED, 8-22 degree zoom (recommended 25-120ft throw)

STROBES & BLINDERS

BRAND	FIXTURE	QTY	CASES OF	LIGHT SOURCE
Chauvet	Strike Array 4 (4 cell control) ☁	24	4	192 WW LED + 20 Amber LED in 4 cells
Chauvet	Shocker 2 Two-Lite WW blinder (2 cell control)	32	6	(2) 85w Warm White LEDs
ADJ	Jolt Panel FX IP (40 RGB pixels, 6 white pixels) ☁	48	6	(800) x 0.5-Watt RGB SMD LEDs + (48) x 5-Watt Cool White SMD LEDs
ADJ	Jolt Bar FX (32 RGB pixels, 16 white pixels)	46	4 or 8	(672) RGB SMD LEDs + (112) Cool White SMD LEDs
Elation	Protron 3K Color LED Strobe	14	6	(240) 3w LEDs (R/G/B/W)
Elation	Protron 3K LED Strobe	4	4	(200) 3w Cool White LEDs
Elation	Cuepix Blinder WW4	4	4	(4) 100w Warm White LEDs
SGM	X-5 LED Strobe	12	4	(2,970) Cool White LEDs (5600K, 3 section control)
Mega Lite	RGB XS Strobe (3 section control)	18	6	(324) RGB SMD LEDs (3 section control)
Altman	10" Scoop	4	N/A	300W/400W conventional lamp
Misc	Hanging lamp socket (various lengths)	24	N/A	

☁ = IP65 Outdoor Rated

LASERS

BRAND	FIXTURE	QTY	CASES OF	LIGHT SOURCE
X-Laser	Skywriter HPX M-10 Mercury	2	1	10w RGB laser
X-Laser	Skywriter HPX M-5 Mercury	10	1	5w RGB laser

REQUIRES SQUEEK LIGHTS STAFF ONSITE. NOT AVAILABLE FOR DRY HIRE.

CONTROL

BRAND	ITEM	QTY	UNIVERSES
MA Lighting	GrandMA3 Fullsize	1	6 DMX outputs // 20480 parameters in MA3, 8192 in MA2 mode
MA Lighting	GrandMA3 Light	5	6 DMX outputs // 16384 parameters in MA3, 4096 in MA2 mode
MA Lighting	GrandMA3 Compact XT	5	6 DMX outputs // 8192 parameters in MA3, 4096 in MA2 mode
MA Lighting	GrandMA2 Light	2	6 DMX outputs // 4096 parameters
MA Lighting	MA2 onPC Command Wing Rig	1	6 DMX outputs // 2048 parameters - complete package w/ computer, touchscreen, & node
MA Lighting	MA3 onPC Command Wing	1	2 DMX outputs // 4096 parameters
MA Lighting	GrandMA3 onPC 4port 4K Node	2	2048 parameters in MA2 mode, 4096 in MA3 mode // 4 DMX out
	Configured in a plug-and-play flight rack with laptop & timecode interface for MA2 and MA3 timecode shows		
Obsidian	NX2 Console	2	4 DMX outputs // 64 universes max (via Artnet/sACN)
Obsidian	NX1 Console w/ NXX keypad	1	4 DMX outputs // 8 universes max (via Artnet/sACN)
Obsidian	NXP playback wing	1	4 DMX outputs // 8 universes max (via Artnet/sACN)
Obsidian	Onyx Timecode Playback Rig	1	4 DMX outputs (EP4 node), timecode (MIF4), Thinkpad Laptop for plug-and-play shows
Obsidian	NX-Touch Rig w/ 13" HD touchscreen laptop	5	1 DMX output // 4 universes max (via Artnet/sACN)
Chamsys	MagicQ MQ80	1	4 DMX outputs // 24 universes max (via Artnet/sACN)
Chamsys	MagicQ Extra Wing	1	N/A no DMX outputs
Elation	E-Node 4	4	4 universe sACN/ArtNet node
Obsidian	Netron EN12 Node	20	Available in a rack of (2) with a DMX 10-5 2u Opto, also mounted in our 54-way distros
Obsidian	Netron EN4 Node	10	4 universe sACN/ArtNet node
Obsidian	Netron RDM-6XL Optosplitter	5	
Obsidian	Netron DMX 10-5 Optosplitter	6	All of these are racked up in our Netron Data Racks and 54ckt Distros
Swisson	1x5 Optosplitter, 5pin, XSP series	6	
Lumen Radio	Luna CRMX Transmitter	4	
Swisson	XWL CRMX Receiver	4	
Astera	ART-7 Asterabox	4	Wireless control & config box for Astera lights
Chauvet	D-Fi Hub	1	Wireless transmitter for Freedom H1s
Obsidian	NS8 8-port Ethercon Gigabit network switch	14	Installed in Netron data racks, 54ckt distros, and MA3 Processing Units
Netgear	5-port Gigabit network switch	6	
Rosendahl	MIF-4 Timecode Reader/Display	5	
Roland	UM-ONE MK II Midi-USB interface	2	

VIDEO

BRAND	ITEM	QTY	NOTES
ADJ	VS3 video panel	232	Cases of 8, 500x500mm, 3.91mm pix pitch, 1000 nits brightness
	<i>Ground support, fly bars, column supports, and pipe & base rigging available for VS3 panels</i>		
Infiled	AM Touring Transparent Video Panels	90	1000x1000mm, 8.33mm pix pitch, 5000 nits brightness
	<i>Integrated wind bracing/ground support column. Ground support bases & fly bars available</i>		
Novastar	VX1000 Video Wall Processor	4	*Configured in a dual rack for main/backup with dual rack monitor*
Novastar	VX600 Video Wall Processor	4	*Configured in a dual rack for main/backup with dual rack monitor*
Novastar	MX20 Video Wall Processor	2	*Configured in a dual rack for main/backup*
Novastar	VX65 Video Wall Processor	4	*Configured in a dual rack for main/backup*
Lenovo	Laptop w/ Resolume Arena 7	5	Lenovo Legion Pro 5 16" i7-13700HX, RTX 4070, 32GB RAM, 1TB SSD
BlackMagic	HDMI-SDI 3G Micro Cross Converter	9	
BlackMagic	Blackmagic 1x8 SDI Distribution Amplifier 4K	2	
AVMatrix	SC2030 Cross Converter	5	Convert SDI/HDMI both ways, convert framerate and resolution, analog audio embedding
Roland	V-8HD Switcher	1	In case with 15.6" preview monitor
Roland	V-1HD Switcher	1	In case with 15.6" preview monitor
Chauvet	Epix Strip Tour	52	Cases of 16 (or smaller quantities in long Pelicans)
Chauvet	Epix Drive 2000IP	4	
Chauvet	Epix Drive 900	1	
NEC	NP-PA903X 9000lm Projector	3	With NP41ZL 1.30 to 3.08 lens
Cable Matters	HDMI over Ethernet extender pair (Tx/Rx)	6	(rented as a set of 2 pairs to have a hot spare on tour)

ATMOSPHERE

BRAND	ITEM	QTY	CASES OF	NOTES
Antari	Z-350 Water Based Hazer	16	1	Dual tour pack case available with 2 hazers, 2 blower fans, and 2 fluid jugs
Magmatic	Magma Prime Water Based Hazer	12	2	Dual tour pack case available with 2 hazers, 2 blower fans, and 2 fluid jugs
Magmatic	Sidewinder vertical fogger	12	2 or 3	Advanced high-pressure air pump for quick response
Magmatic	Magma Fan DMX controlled fan	6		
Froggy's	Titan Hazer HT6	2	1	Up to 14,000 CFM of haze
Froggy's	Titan 1500 Pro Fogger	2	1	Absolutely massive fog output
Lasko	Blower Fan	16		

DISTRO/DIMMING

BRAND	ITEM	QTY	NOTES
Motion Labs	54x 120v 8 soco 6 duplex, advanced meters	2	Comes with (2) Netron EN12 sACN/ArtNet 12-port nodes & (1) 2 universe opto installed
Motion Labs	30x 120v 4 soco 6 duplex, advanced meters	4	Available with a data rack with (2) Netron EN12 nodes & (1) 2 universe opto
Motion Labs	15x 120v 2 soco 3 duplex	10	
Motion Labs	12x 120v 2 soco (one doubled to duplex edison)	1	
Lex	Viceroy 4 soco 120/208v, 3x L21-30, 6x Duplex	1	Available with a data rack with (2) Netron EN12 nodes & (1) 2 universe opto
Lex	Bento Box 6x 120v (L21-30 input)	4	Comes with 50' L21-30 and L21-30 to Cams adapter
Fleenor	DMX24DIM-2U: 24ch, 100W/ch dimmer	1	
Chauvet	Pro-D6 Dimmer Packs [6] & DMX-4 Dimmer Packs [4]		
Martin	6 channel DMX Relay/Switch Pack	1	

All distros are Ground/Neutral Reverse and include white & green male-male turnarounds

TRUSS & PIPE

BRAND	ITEM	QTY	NOTES
Squeek Mfg	Single-wide pre-rig touring cart (24" wide)	4	
Squeek Mfg	24x30 Small Touring Cart (24x30" footprint)	12	
Squeek Mfg	Double-wide pre-rig touring cart (38.5" wide)	4	
Squeek Mfg	Half-height touring cart (24"x48" footprint)	14	
Squeek Mfg	XL Touring Cart (27"x69" footprint)	8	
Custom Fab	Tall Touring Cart (36"x20" footprint)	6	
Squeek Mfg	Custom Ladder System	5	
Tyler Truss	8' GT Truss (Black)	18	
Solid Industries	GT Truss Ski Base	20	2 per GT truss to stand on end
Applied	2 Meter Video Wall Truss 12x12" Black	6	Recessed center spine for hanging video wall
Generico	10' 12x12" Truss (Black)	20	
Generico	8' 12x12" Truss (Black)	20	
Generico	6' 12x12" Truss (Black)	12	
Generico	5' 12x12" Truss (Black)	9	
Generico	4' 12x12" Truss (Black)	6	
Generico	3' 12x12" Truss (Black)	8	
Generico	2' 12x12" Truss (Black)	12	
Generico	12x12 Truss corner block (Black)	8	
Generico	24"x24" Truss Bases	6	
Galaxy Stage	30"x30" Truss Bases (for 12x12 and 20x20)	24	
Galaxy Stage	Black Truss T-joint connector (Grapple-type)	8	(4 pairs)
Squeek Mfg	30"x30" Rolling truss caster board	4	(Add on for 12" truss & 24"x24" truss baseplate)
Altman	50lb Pipe Base (new model w/ handles)	44	
Ent Fab	Rolling base (pipe or truss, offset or center)	20	(20" square, with or w/o casters, centered & offset pipe threads)
Squeek Mfg	24" ply base w/ threaded flange & casters	4	(6' max pipe height, casters for quick on/off for openers/festivals)
Squeek Mfg	24" square ply base w/ threaded flange	12	
Squeek Mfg	24" square ply base w/ non-thread flange	8	
Squeek Mfg	20" square ply base w/ non-thread flange	4	
Squeek Mfg	12"x16" ply base w/ offset non-thread flange	16	(for vertically mounting Sixbars, Jolt Bars, Epix, etc near deck height)
	25lb Sandbag	220	
Light Source	Slim Swivel Cheeseboro	74	
	Swivel Cheeseboro	30	
	Cast Rigid Cheeseboro ("scaff clamp")	16	
	Aluminum sch 40 pipe: 12", 16", 18", 22", 24", 30", 32", 3", 4", 5", 66", 6', 7', 8', 10' (Custom cut pipe available for long tours)		
	Steel sch 40 pipe: 1', 2', 3', 4', 5', 6', 7', 8', 9', 10' (10' has threads on both ends, all others threaded one end only except for a few 2s and 4s)		
	Pipe fittings (tees &c)		

We can custom fabricate pipe structures to suit your tour with our extensive inventory of steel & aluminum pipe & fittings.

RIGGING

Chainmaster	1 Ton Chain Motor	24	
CM	1/4 Ton Chain Motor	12	
Motion Labs	12-way Motor Controller	2	
Motion Labs	4-way Motor Controller	1	Comes with 50' L21-30 and L21-30 to Cams adapter
CM	1/2 Ton Manual Chain Hoist - Hurricane model	2	
CM	5/8" shackle	165	
CM	1/2" shackle	32	
LiftAll/Mountain	3ft GacFlex	67	
LiftAll	4ft GacFlex	2	
LiftAll/Mountain	6ft GacFlex	24	
LiftAll	3ft Spanset	4	
LiftAll	4ft Spanset	10	
Crosby	5/8 Pear Ring	12	
	Rigging steel - 5', 10', 20', 50'		

CABLE

TYPE	LENGTHS	QTY
DMX 5-pin	3', 5', 10', 15', 25', 50', 75', 100', 125'	
DMX 3-pin	5', 10', 15', 25'	
EPIX 4-pin	16", 3', 5', 10', 15', 25', 50'	
PCON Jump	2', 3', 5', 10', 15', 25'	
True1 Jump	3', 5', 10', 15', 25', 50', True1 Twofers	
Edison	5', 10', 15', 25', 50', 75', 100', 10' Tri Tap, 25' Tri Tap, 14awg + 12awg twofers, 14awg threefers, power strips, cube taps	
Socapex	10', 25', 50', 75', 100', 125'	
Feeder	10', 25', 50', Cam Tees, Ys, & Turnarounds, #2 and 2/0 available	
FOH LX Snake	300' Snake, 2 Ethercon, 1 Edison, 1 XLR (for TC)	4
Ethercon	Single 250' Reel	15
Ethercon	Dual 225' Reel	2
Cat 6 ethernet	4x 200' individually shielded heavy duty snake	1
Ethercon	4x 250' Ethercon snake	1
Ethercon	10', 15', 25', 50', 75', 100', 125', couplers, "Shuttle Snake"/"Sneak Snake" adapters	
Cat 5e/Cat 6	1', 3', 5', 10', 14', 25', 35', 50'	
6G Flex SDI	10', 25', 50', 75', 100', 150', 200', 300', couplers	
HDMI Cable	Various lengths up to 35'	